

2014A Aluminium - AMS 4029

Typical Applications

Structural Applications

Aerospace Fittings

2014 is a copper-based aluminium alloy with very high strength together with excellent machining characteristics and is commonly used in many aerospace structural applications due to its high strength

Technical specification

Related Specifications

2014A

BS H15

AMS4121

Specific Gravity

2.82g/cm³

Chemical Composition (WT %)

	Min	Max
Si	0.50	2.10
Fe	-	0.70
Cu	3.90	5.00
Zn	-	0.25
Mn	0.40	1.00

Mg	0.20	0.80
Ti	-	0.15
Ni	-	0.10
Ti+Zr	-	0.20
Others (Each)	-	0.05
Others (Total)	-	0.15

Typical Mechanical Properties

	Content
0.2% Proof Stress	370
Tensile Strength	415
Elongation	6
Reduction of area	-
Hardness	-

Need more information? **Get in touch**

General Enquiries

+44(0) 1525 217 556

[Email us here](#)

Head Office

40 Eden Way
Chartwell Business Park
Leighton Buzzard
Bedfordshire
LU7 4FY

T: +44 (0)1525 217 556

Conversion Centre

Suite 2 Meadowhall Riverside
Meadowhall Road
Sheffield
South Yorkshire
S9 1BW

T: +44 (0)1143 030 320

Useful Links

[Privacy Policy](#)

[Sitemap](#)

