

AMS 5628 - BS S80 (EN57) NEREZOVÁ OCEL

Dynamic Metals je dodavatelem BS S80 (431 S29) nerezové oceli . Dodáváme vysoce jakostní hutní materiál bez minimálního množství omezení pro skladové položky tyčí, plechů a desek.

Specific Gravity	
Typical Applications	
Related Specifications	
	BS S80 (431 S29T) AMS 5628 MSRR 6573 UNS S43100 MIL/AMS-S-18732 AMS QQ-S-763 ASTM A276 ASTM A484 DMS-1565 WL 1.4044 DIN EN 3506
Chemical Composition (Wt %)	
Min	
Max	
Typical Mechanical Properties	

	0.2% Proof Stress	Tensile Strength	Elongation	Reduction of area	Hardness
Content					

Hardness after Heat Treatment

* Every effort has been made to ensure that our technical specifications are accurate. However, technical specifications included within Dynamic Metals Ltd should be used as a guideline only and are subject to change without notice.

General Enquiries

T: +44 (0) 1525 217 556 [\(tel:+4401525217556\)](tel:+4401525217556)

E: sales@dynamicmetalsltd.com [\(mailto:sales@dynamicmetalsltd.com\)](mailto:sales@dynamicmetalsltd.com)



UK Address:

Head Office

40 Eden Way
 Chartwell Business Park
 Leighton Buzzard
 Bedfordshire
 LU7 4FY

T: +44 (0)1525 217 556 [\(tel:+441525217556\)](tel:+441525217556)

Conversion Centre

Suite 2 Meadowhall Riverside
 Meadowhall Road

Sheffield
South Yorkshire
S9 1BW

T: +44 (0)1143 030 320 [_\(tel:+4401143030320\)](tel:+4401143030320)

Registered Office (only)

The Granary
Crowhill Farm Ravensden Road
Wilden
Bedfordshire
MK44 2QS

T: +44 (0)1525 217 556 [_\(tel:+441525217556\)](tel:+441525217556)



[\(/media/zn2dbklo/cyber-essentials-certified-plus.png\)](/media/zn2dbklo/cyber-essentials-certified-plus.png)



[\(/media/dyelbliq/cyber-essentials-certified.png\)](#)