

TITAN GRADE 2 BAR - AMS T 9047, ASTM B348

Typische Anwendungen

Pfannenpfannen

Brackets

Kondensatoren

Kryogefäße

Jigs

Kathoden



[\(/media/kzpehjt0/titanium.webp\)](/media/kzpehjt0/titanium.webp)

Titan Grade 2 ist eine kommerziell reine Form von Titan. Es ist weit verbreitet, weil es hervorragende Formbarkeit und mäßige Festigkeit mit überlegener Korrosionsbeständigkeit kombiniert. Diese Kombination von Eigenschaften macht Titan Grad 2 ideal für eine Vielzahl von chemischen und maritimen sowie Luft- und Raumfahrt- und medizinischen Anwendungen.

Verwandte Produkte

6246

[\(/de/produkte/titan/6246/\)](/de/produkte/titan/6246/)

6AL4V STAB

[\(/de/produkte/titan/6al4v-stab/\)](/de/produkte/titan/6al4v-stab/)

6AL4V BLECHE

[\(/de/produkte/titan/6al4v-bleche/\)](/de/produkte/titan/6al4v-bleche/)

Blech/Platte der Güte 1

[\(/de/produkte/titan/blechplatte-der-guete-1/\)](/de/produkte/titan/blechplatte-der-guete-1/)

STAB GÜTE 2

[\(/de/produkte/titan/stab-guete-2/\)](/de/produkte/titan/stab-guete-2/)

BLECH PLATTE GÜTE 2

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.

I agree

I decline

Change my preferences

[\(/de/produkte/titan/blech-platte-guete-2/\)](#)

ROHR DER GÜTE 2

[\(/de/produkte/titan/rohr-der-guete-2/\)](#)

BLECH PLATTE GÜTE 3

[\(/de/produkte/titan/blech-platte-guete-3/\)](#)

Stab Güte 4

[\(/de/produkte/titan/stab-guete-4/\)](#)

Blech Platte der Güte 4

[\(/de/produkte/titan/blech-platte-der-guete-4/\)](#)

Rohr der Güte 9

[\(/de/produkte/titan/rohr-der-guete-9/\)](#)

Technische Spezifikation
Verwandte Spezifikationen

ASTM B348

ASTM F67



AMS T 9047

NACE MR01-75

UNS R50400

W.Nr. 0 700 1

Chemische Zusam



We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.

N	-	0.03
O	-	0.250
Ti	-	Bal
Fe	-	0.30
H	-	0.015
Other	-	0.40

Typical Mechanical Properties in the Annealed condition

0.2% Proof Stress	MPA	Min	275
Tensile Strength	MPA		
Elongation	%		
Reduction of Area			

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.

PDF Herunterladen ↓ <https://pdf.prominentsystems.co.uk/?url=https://dynamicmetalsltd.com/de/produkte/titan/stab-guete-2>

General Enquiries

+44(0) 1525 217 556

Email us here <mailto:sales@dynamicmetalsltd.com>

Head Office

40 Eden Way
Chartwell Business Park
Leighton Buzzard
Bedfordshire
LU7 4FY

T: +44 (0)1525 217 556 <tel:+441525217556>

Conversion Centre

Suite 2 Meadowhall Riverside
Meadowhall Road
Sheffield
South Yorkshire
S9 1BW

T: +44 (0)1143 030 320 <tel:+4401143030320>

Useful Links

Privacy Policy <https://de/datenschutzrichtlinie/>

Sitemap <https://de/seitenverzeichnis/>



Follow Us

facebook <https://www.facebook.com/DynamicMetalsLtd/>
<https://twitter.com/dynamicmetals>

© 2025 Copyright © 2025 Dynamic Metals, The Granary Cro
2QS A Prominent Media product <https://prominentmedia.c>

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.