

## ALLIAGE DE NICKEL 200 AND 201

Connu sous le nom de nickel commercialement pur; L'alliage 200 et la variante à faible teneur en carbone, l'alliage 201, sont principalement utilisés pour leur excellente résistance à la corrosion. La résistance est inférieure à celle des autres nickel, mais la résistance à la rupture est élevée. L'alliage 201 doit être utilisé à la place de l'alliage 200 à des températures supérieures à 300 ° C environ.

Specific Gravity						
Typical Applications				Related Specifications		
Chemical Composition (Wt %)						
Min						
Max						
Typical Mechanical Properties						
	0.2% Proof Stress	Tensile Strength	Elongation	Reduction of area	Hardness	
Content						
Hardness after Heat Treatment						
<p>* Every effort has been made to ensure that our technical specifications are accurate. However, technical specifications included within Dynamic Metals Ltd should be used as a guideline only and are subject to change</p>						

without notice.

---

## General Enquiries

T: +44 (0) 1525 217 556 [\\_\(tel:+4401525217556\)](tel:+4401525217556)

E: [sales@dynamicmetalsltd.com](mailto:sales@dynamicmetalsltd.com) [\\_\(mailto:sales@dynamicmetalsltd.com\)](mailto:sales@dynamicmetalsltd.com)



## UK Address:

### *Head Office*

40 Eden Way  
Chartwell Business Park  
Leighton Buzzard  
Bedfordshire  
LU7 4FY

T: +44 (0)1525 217 556 [\\_\(tel:+441525217556\)](tel:+441525217556)

### *Conversion Centre*

Suite 2 Meadowhall Riverside  
Meadowhall Road  
Sheffield  
South Yorkshire  
S9 1BW

T: +44 (0)1143 030 320 [\\_\(tel:+4401143030320\)](tel:+4401143030320)

### *Registered Office (only)*

The Granary  
Crowhill Farm Ravensden Road  
Wilden  
Bedfordshire  
MK44 2QS

T: +44 (0)1525 217 556 [\\_\(tel:+441525217556\)](tel:+441525217556)



[\(/media/zn2dbklo/cyber-essentials-certified-plus.png\)](#)



[\(/media/dyelbliq/cyber-essentials-certified.png\)](#)