

AMS 4902 - TITANIO GRADO 2 LAMIERE E PIASTRE

Titanium Grado 2 (AMS 4902) è una tipologia di titanio commercialmente pura. È ampiamente utilizzato perché combina un'eccellente plasticità e una moderata solidità con una maggiore resistenza alla corrosione. Questa combinazione di proprietà rende il titanio di grado 2 ideale per una grande varietà di applicazioni chimiche e marine, nonché aerospaziali e mediche.

Specific Gravity							
4.51 g/cm ³							
Typical Applications				Related Specifications			
Airframe skins Chemical Process vessels Exhausts components Medical and dental implants Sputtering Targets				ASTM B265 ASME SB-265 TA2 AMS 4902 UNS R50400 W.Nr 3.7034 AMS T 9046			
Chemical Composition (Wt %)							
	C	N	O	Ti	Fe	H	Other
Min	–	–	–	–	–	–	–
Max	0.08	0.03	0.250	Bal	0.30	0.015	0.40
Typical Mechanical Properties in the Annealed Condition							
0.2% Proof Stress	Tensile Strength	Elongation	Reduction of area	Hardness			
MPA	MPA	%	%	HRB			
Min	Min	Min					
275	345	20	30	80			

* Every effort has been made to ensure that our technical specifications are accurate. However, technical specifications included within Dynamic Metals Ltd should be used as a guideline only and are subject to change without notice.

General Enquiries

T: +44 (0) 1525 217 556 [_\(tel:+4401525217556\)](tel:+4401525217556)

E: sales@dynamicmetalsltd.com [_\(mailto:sales@dynamicmetalsltd.com\)](mailto:sales@dynamicmetalsltd.com)



UK Address:

Head Office

40 Eden Way
Chartwell Business Park
Leighton Buzzard
Bedfordshire
LU7 4FY

T: +44 (0)1525 217 556 [_\(tel:+441525217556\)](tel:+441525217556)

Conversion Centre

Suite 2 Meadowhall Riverside
Meadowhall Road
Sheffield
South Yorkshire
S9 1BW

T: +44 (0)1143 030 320 [_\(tel:+4401143030320\)](tel:+4401143030320)

Registered Office (only)

The Granary
Crowhill Farm Ravensden Road
Wilden
Bedfordshire
MK44 2QS

T: +44 (0)1525 217 556 [_\(tel:+441525217556\)](tel:+441525217556)



[\(/media/zn2dbklo/cyber-essentials-certified-plus.png\)](#)



[\(/media/dyelbliq/cyber-essentials-certified.png\)](#)