

Stop Niklu Nimonic 75

Typowe zastosowania

Elementy do przemysłowych i lotniczych turbin gazowych

Elementy pieców przemysłowych

Elementy złączne do wysokich temperatur

Oslony termopar

Urządzenia i oprzyrządowanie do obróbki cieplnej



[\(/media/52fmjvhy/nickel-alloy.webp\)](#)

Stop 75 to odporny na pełzanie stop niklu i chromu z kontrolowaną zawartością węgla oraz niewielkim dodatkiem tytanu. Stop 75 charakteryzuje się dobrymi właściwościami mechanicznymi oraz odpornością na utlenianie w wysokich temperaturach.

Powiązane produkty

200 & 201

[\(/pl/asortyment/stopy-niklu/200-201/\)](#)

625

[\(/pl/asortyment/stopy-niklu/625/\)](#)

Blacha i Płyta ze Stopu Niklu 625

[\(/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu\)](#)

718

[\(/pl/asortyment/stopy-niklu/718/\)](#)

Blacha i Płyta ze Stopu Niklu 718

[\(/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu\)](#)

75

[\(/pl/asortyment/stopy-niklu/75/\)](#)

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.

I agree

I decline

Change my preferences

80A

[\(/pl/asortyment/stopy-niklu/80a/\)](/pl/asortyment/stopy-niklu/80a/)

X750

[\(/pl/asortyment/stopy-niklu/x750/\)](/pl/asortyment/stopy-niklu/x750/)

Pręt ze Stopu Niklu X

[\(/pl/asortyment/stopy-niklu/prez-ze-stopu-niklu-x/\)](/pl/asortyment/stopy-niklu/prez-ze-stopu-niklu-x/)

Blacha i Płyta ze Stopu Niklu X

[\(/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu-x/\)](/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu-x/)

C263

[\(/pl/asortyment/stopy-niklu/c263/\)](/pl/asortyment/stopy-niklu/c263/)

MP159®

[\(/pl/asortyment/stopy-niklu/mp159/\)](/pl/asortyment/stopy-niklu/mp159/)

Stop Niklu MP35N®

[\(/pl/asortyment/stopy-niklu/stop-niklu-mp35n/\)](/pl/asortyment/stopy-niklu/stop-niklu-mp35n/)

41

[\(/pl/asortyment/stopy-niklu/41/\)](/pl/asortyment/stopy-niklu/41/)

Waspaloy

[\(/pl/asortyment/stopy-niklu/waspaloy/\)](/pl/asortyment/stopy-niklu/waspaloy/)

Stop Niklu 90

[\(/pl/asortyment/stopy-niklu/stop-niklu-90/\)](/pl/asortyment/stopy-niklu/stop-niklu-90/)

901

[\(/pl/asortyment/stopy-niklu/901/\)](/pl/asortyment/stopy-niklu/901/)

Specyfikacja

Powiązane

BS

BS

UNS

DIN

ISO

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.

Gęstość właściwa

8.37 g/cm3

Skład chemiczny (WT %)

	Min	Max
Ni	-	Ba
Cr	19	21
Fe	-	5
C	(	
Mn		
Si		
Cu		

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.

Conversion Centre

Suite 2 Meadowhall Riverside
Meadowhall Road
Sheffield
South Yorkshire
S9 1BW

T: +44 (0)1143 030 320 [\(tel:+4401143030320\)](tel:+4401143030320)

Useful Links

Privacy Policy [\(/pl/polityka-prywatnosci/\)](/pl/polityka-prywatnosci/)

Sitemap [\(#\)](#)



Follow Us

facebook [\(https://www.facebook.com/DynamicMetalsLtd/\)](https://www.facebook.com/DynamicMetalsLtd/) <https://twitter.com/dynamicmetals>
[\(https://twitter.com/dynamicmetals\)](https://twitter.com/dynamicmetals)

© 2025 Copyright © 2025 Dynamic Metals, The Granary Crowhill Farm Ravensden Road Wilden Bedfordshire MK44
2QS A Prominent Media product [\(https://prominentmedia.com/\)](https://prominentmedia.com/)

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.