

MP159 PRET ZE STOPU NIKLU MP159

Typowe zastosowania

Elementy złączne

Elementy silników odrzutowych

Urządzenia protetyczne

Zastosowania morskie



[\(/media/52fmjvhy/nickel-alloy.webp\)](/media/52fmjvhy/nickel-alloy.webp)

MP159 to stop na bazie niklu i kobaltu o właściwościach zbliżonych do MP35N. Jest to materiał o ultrawysokiej wytrzymałości, charakteryzujący się dobrą udurowalnością, plastycznością oraz doskonałą odpornością na korozję. Dzięki umocnieniu przez obróbkę plastyczną i starzeniu, osiąga wytrzymałość na rozciąganie przekraczającą 1830 MPa.

Powiązane produkty

200 & 201

[\(/pl/asortyment/stopy-niklu/200-201/\)](/pl/asortyment/stopy-niklu/200-201/)

625

[\(/pl/asortyment/stopy-niklu/625/\)](/pl/asortyment/stopy-niklu/625/)

Blacha i Płyta ze Stopu Niklu 625

[\(/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu](/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu)

718

[\(/pl/asortyment/stopy-niklu/718/\)](/pl/asortyment/stopy-niklu/718/)

Blacha i Płyta ze Stopu Niklu 718

[\(/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu](/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu)

75

[\(/pl/asortyment/stopy-niklu/75/\)](/pl/asortyment/stopy-niklu/75/)

80A

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.

I agree

I decline

Change my preferences

[\(/pl/asortyment/stopy-niklu/80a/\)](/pl/asortyment/stopy-niklu/80a/)

X750

[\(/pl/asortyment/stopy-niklu/x750/\)](/pl/asortyment/stopy-niklu/x750/)

Pręt ze Stopu Niklu X

[\(/pl/asortyment/stopy-niklu/prez-ze-stopu-niklu-x/\)](/pl/asortyment/stopy-niklu/prez-ze-stopu-niklu-x/)

Blacha i Płyta ze Stopu Niklu X

[\(/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu-x/\)](/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu-x/)

C263

[\(/pl/asortyment/stopy-niklu/c263/\)](/pl/asortyment/stopy-niklu/c263/)

MP159®

[\(/pl/asortyment/stopy-niklu/mp159/\)](/pl/asortyment/stopy-niklu/mp159/)

Stop Niklu MP35N®

[\(/pl/asortyment/stopy-niklu/stop-niklu-mp35n/\)](/pl/asortyment/stopy-niklu/stop-niklu-mp35n/)

41

[\(/pl/asortyment/stopy-niklu/41/\)](/pl/asortyment/stopy-niklu/41/)

Waspaloy

[\(/pl/asortyment/stopy-niklu/waspaloy/\)](/pl/asortyment/stopy-niklu/waspaloy/)

Stop Niklu 90

[\(/pl/asortyment/stopy-niklu/stop-niklu-90/\)](/pl/asortyment/stopy-niklu/stop-niklu-90/)

901

[\(/pl/asortyment/stopy-niklu/901/\)](/pl/asortyment/stopy-niklu/901/)

Specyfikacja

Powiązane

AM

AM

AM

UNS

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.

Gęstość właściwa

8.37 g/cm³

Skład chemiczny (WT %)

Ni	25.5
Co	35.7
Cr	19.0
Fe	9.0
Mo	7.0
Ti	
Cb	
Al	

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.

Typowe właściwości mechaniczne

	Condition Annealed	1925 deg f/4 hrs/WQ
0.2% Proof Stress	MPA	400
Tensile Strength	MPA	850
Elongation	%	60
Reduction of area	%	69

Pobierz PDF ↓ (<https://pdf.prominentsystems.co.uk/?url=https://dynamicmetalsltd.com/pl/asortyment/stopy-niklu/mp159>).

General Enquiries

+44(0) 1525 217 556

Email us here <mailto:sales@dynamicmetalsltd.com>

Head Office

40 Eden Way
Chartwell Business Park
Leighton Buzzard
Bedfordshire
LU7 4FY

T: +44 (0)1525 217 556 <tel:+441525217556>

Conversion Centre

Suite 2 Meadowhall Riverside
Meadowhall Road
Sheffield
South Yorkshire
S9 1BW

T: +44 (0)1143 030 320 <tel:+4401143030320>

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.

Useful Links

Privacy Policy (<https://pl/polityka-prywatnosci/>)

Sitemap (<#>)



Follow Us

facebook (<https://www.facebook.com/DynamicMetalsLtd/>) <https://twitter.com/dynamicmetals>
(<https://twitter.com/dynamicmetals>)

© 2025 Copyright © 2025 Dynamic Metals, The Granary Crowhill Farm Ravensden Road Wilden Bedfordshire MK44
2QS A Prominent Media product (<https://prominentmedia.com/>)

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.