


AMS 5667, AMS 5542, AMS 5598 - Stop Niklu X750

Typowe zastosowania

Turbiny gazowe

Silniki rakietowe

Sprężyny



[\(/media/52fmjyhy/nickel-alloy.webp\)](/media/52fmjyhy/nickel-alloy.webp)

Stop X750 (AMS 5542, AMS 5598, AMS 5667) to stop niklu i chromu utwardzany wydzieleniowo, zapewniający dobrą wytrzymałość oraz odporność na korozję w podwyższonych temperaturach. Stop Niklu X750 znajduje zastosowanie w szerokim zakresie aplikacji, od turbin gazowych i silników rakietowych po sprężyny i elementy złączne pracujące w temperaturach kriogenicznych.

Powiązane produkty

200 & 201

[\(/pl/asortyment/stopy-niklu/200-201/\)](/pl/asortyment/stopy-niklu/200-201/)

625

[\(/pl/asortyment/stopy-niklu/625/\)](/pl/asortyment/stopy-niklu/625/)

Blacha i Płyta ze Stopu Niklu 625

[\(/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu](/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu)

718

[\(/pl/asortyment/stopy-niklu/718/\)](/pl/asortyment/stopy-niklu/718/)

Blacha i Płyta ze Stopu Niklu 718

[\(/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu](/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu)

75

[\(/pl/asortyment/stopy-niklu/75/\)](/pl/asortyment/stopy-niklu/75/)

80A

[\(/pl/asortyment/stopy-niklu/80a/\)](/pl/asortyment/stopy-niklu/80a/)

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.

I agree

I decline

Change my preferences

X750

[\(/pl/asortyment/stopy-niklu/x750/\)](/pl/asortyment/stopy-niklu/x750/)

Pręt ze Stopu Niklu X

[\(/pl/asortyment/stopy-niklu/pre-ze-stopu-niklu-x/\)](/pl/asortyment/stopy-niklu/pre-ze-stopu-niklu-x/)

Blacha i Płyta ze Stopu Niklu X

[\(/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu-x/\)](/pl/asortyment/stopy-niklu/blacha-i-plyta-ze-stopu-niklu-x/)

C263

[\(/pl/asortyment/stopy-niklu/c263/\)](/pl/asortyment/stopy-niklu/c263/)

MP159®

[\(/pl/asortyment/stopy-niklu/mp159/\)](/pl/asortyment/stopy-niklu/mp159/)

Stop Niklu MP35N®

[\(/pl/asortyment/stopy-niklu/stop-niklu-mp35n/\)](/pl/asortyment/stopy-niklu/stop-niklu-mp35n/)

41

[\(/pl/asortyment/stopy-niklu/41/\)](/pl/asortyment/stopy-niklu/41/)

Waspaloy

[\(/pl/asortyment/stopy-niklu/waspaloy/\)](/pl/asortyment/stopy-niklu/waspaloy/)

Stop Niklu 90

[\(/pl/asortyment/stopy-niklu/stop-niklu-90/\)](/pl/asortyment/stopy-niklu/stop-niklu-90/)

901

[\(/pl/asortyment/stopy-niklu/901/\)](/pl/asortyment/stopy-niklu/901/)

Specyfikacja techniczna

Powiązane

AM

We use cookies

AM

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.

AM

AST

Pobierz PDF ↓ [\(/https://pdf.prominentsystems.co.uk/?urlniklu/x750\)](https://pdf.prominentsystems.co.uk/?urlniklu/x750)

General Enquiries

+44(0) 1525 217 556

Email us here [.\(mailto:sales@dynamicmetalsltd.com\)](mailto:sales@dynamicmetalsltd.com)

Head Office

40 Eden Way
Chartwell Business Park
Leighton Buzzard
Bedfordshire
LU7 4FY

T: +44 (0)1525 217 556 [.\(tel:+441525217556\)](tel:+441525217556)

Conversion Centre

Suite 2 Meadowhall Riverside
Meadowhall Road
Sheffield
South Yorkshire
S9 1BW

T: +44 (0)1143 030 320 [.\(tel:+4401143030320\)](tel:+4401143030320)

Useful Links

Privacy Policy [\(/pl/polityka-prywatnosci/\)](/pl/polityka-prywatnosci/)

Sitemap [\(#\)](#)



Follow Us

facebook [\(https://www.facebook.com/DynamicMetalsLtd/\)](https://www.facebook.com/DynamicMetalsLtd/) <https://twitter.com/dynamicmetals>
[.\(https://twitter.com/dynamicmetals\)](https://twitter.com/dynamicmetals)

© 2025 Copyright © 2025 Dynamic Metals, The Granary Cro
2QS A Prominent Media product [.\(https://prominentmedia.c](https://prominentmedia.c)

We use cookies

We use cookies and other tracking technologies to improve your browsing experience on our website, to show you personalized content and targeted ads, to analyze our website traffic, and to understand where our visitors are coming from.