

# BS S106 / 4S106D (MSRR 6001)

## *Typical Applications*

Gas turbine parts

Jet engine components

High-temperature fasteners

Combustion chambers



*BS S106 is the British aerospace equivalent of 722M24 / En40B and is a premium-grade material that has been tailored to meet the rigorous requirements of MSRR 6001 specification.*

BS S106 is a 3% chrome-molybdenum nitriding steel which develops high hardness after heat treatment and combines exceptional corrosion resistance along with remarkable mechanical properties at elevated temperatures making it ideal for critical aerospace applications and demanding environments.

## **Related Products**

**15Cdv6 Bar Sheet Tube**

**300M**

**4130 Bar And Tube**

**4130 Sheet And Plate**

**4340**

**52100**

**S99**

**EN24**

**Hy Tuf**

**S156**

**T45**

**M50 Steel Bar**

**4330 Alloy Steel**

**BS S106**

## **Technical specification**

### *Related Specifications*

**BS S106**

**MSRR 6001**

**4S106D**

### *Specific Gravity*

**7.84 g/cm<sup>3</sup>**

### *Chemical Composition (WT %)*

	Min	Max
<b>C</b>	0.20	0.28
<b>Mn</b>	0.40	0.70
<b>Si</b>	0.10	0.35
<b>P</b>	-	0.020
<b>S</b>	-	0.020
<b>Cr</b>	3	3.5
<b>Mo</b>	0.50	0.70
<b>Ni</b>		<0.30
<b>Sn</b>	-	0.030

### *Typical Mechanical Properties*

#### Typical Hardness

Tensile Strength MPa: 930-1080 MPa

0.2% Proof Stress MPa: 740 min

Elongation: 13%

What is BS S106? [↗](#)

This high-performance stainless-steel alloy is renowned for its premium complex combination of elements. BS S106 has been specifically tailored for aerospace applications requiring high strength alongside resistance to elevated temperatures. Unlike standard alloys, BS S106 delivers exceptional performance in demanding environments. Its unique composition ensures a microstructure capable of maintaining dimensional stability under extreme thermal cycling.

Typical Uses [↗](#)

- Blades and Vane Turbines
- High Temperature Zone Fasteners
- Discs and Compressor Shafts
- Components of combustion chamber
- Parts of Exhaust System
- Gear Wheels
- Extruders

