

M50 Steel Bar - AMS 6490, AMS 6491

Typical Applications

Aircraft Engine Bearings

Helicopter Rotor Bearings

Gas Turbines

High Performance Racing Engines



Alloy Steel M50 (AMS 6491, AMS 6490) is a high-performance bearing steel. M50 alloy steel possesses a high degree of hardness, excellent resistance to wear and abrasion, and is capable of retaining its strength properties at elevated temperatures. Primarily composed of iron alloyed with substantial amounts of chromium, molybdenum, and vanadium, this versatile steel exhibits truly outstanding properties.

Its standout quality is the remarkable hardness it can achieve after proper heat treatment, ranging up to 248 HB on the Brinell hardness scale. This ultra-high hardness means that it has superb resistance against abrasive wear and superior durability under heavy bearing loads. Components made from M50 alloy steel can withstand punishing conditions that would rapidly degrade softer bearing materials.

In terms of the composition, the chromium forms hard carbide particles dispersed throughout the steel matrix, enhancing wear resistance. The molybdenum increases overall hardness and toughness. Vanadium promotes a fine-grained microstructure for greater strength.

Potential applications that capitalize on M50's exceptional properties include bearings for aircraft turbine engines, high-speed machine tool spindles, offshore oil equipment, and anywhere ultra-hard, wear-resistant bearing components are required to operate under high temperatures and loading.

Related Products

15Cdv6 Bar Sheet Tube

300M

4130 Bar And Tube

4130 Sheet And Plate

4340

52100

S99

EN24

Hy Tuf

S156

T45

M50 Steel Bar

4330 Alloy Steel

BS S106

Technical specification

Related Specifications

AMS 6490

AMS 6491

1.3551

1.3552

AIR 9160C

Specific Gravity

7.84 g/cm³

Chemical Composition (WT %)

	Min	Max
C	0.8	0.85
Mn	0.15	0.35
Si	-	0.25
P	-	0.015
S	-	0.08
Cr	4	4.25
Mo	4	4.5
V	0.9	1.1
Ni	-	0.15
Co	-	0.25
W	-	0.25
Cu	-	0.1
Fe	Bal	-

Typical Mechanical Properties

What is M50 Steel? [-](#)

M50 is a high-carbon, high-vanadium tool steel known for excellent wear resistance and toughness. Its composition includes around 0.8% carbon, 4% chromium, 4.4% molybdenum, and 1.1% vanadium. The carbon provides hardness and wear resistance, while vanadium promotes a fine-grained microstructure for greater strength. M50 is widely used for bearings, cutting tools, punches, dies, and other wear-resistant components requiring high performance.

What material is AMS 6491? [-](#)

AMS 6491 is the Aerospace Material Specification for M50, a high-carbon, high-vanadium tool steel.

It defines the chemical composition, mechanical properties, and heat treatment for this grade when used in aerospace applications requiring exceptional wear resistance, toughness, and hot hardness.

AMS 6491 ensures M50 steel meets strict aerospace industry standards and provides traceability. Referencing this specification guarantees manufacturers are using M50 steel that conforms to rigorous quality and performance criteria for critical aerospace components.

What are the typical uses for M50 Alloy Steel? [-](#)

Typical uses of M50 include bearings for aircraft turbine engines, high-speed machine tool spindles, offshore oil equipment, and anywhere ultra-hard, wear-resistant bearing components are required to operate under high temperatures and loading.

This data has been supplied in support of our sales & marketing activity. It is not intended for general distribution and should not be used as a substitute for the full specification. We warrant that the information is true and correct to the best of our knowledge and belief at the time of publication. We do not warrant that the information is complete, accurate or up to date. We do not warrant that the information is suitable for any particular purpose. We do not warrant that the information is suitable for use in any particular jurisdiction. We do not warrant that the information is suitable for use in any particular industry. We do not warrant that the information is suitable for use in any particular application. We do not warrant that the information is suitable for use in any particular environment. We do not warrant that the information is suitable for use in any particular region. We do not warrant that the information is suitable for use in any particular country. We do not warrant that the information is suitable for use in any particular language. We do not warrant that the information is suitable for use in any particular format. We do not warrant that the information is suitable for use in any particular medium. We do not warrant that the information is suitable for use in any particular device. We do not warrant that the information is suitable for use in any particular system. We do not warrant that the information is suitable for use in any particular network. We do not warrant that the information is suitable for use in any particular platform. We do not warrant that the information is suitable for use in any particular operating system. We do not warrant that the information is suitable for use in any particular browser. We do not warrant that the information is suitable for use in any particular search engine. We do not warrant that the information is suitable for use in any particular social media platform. We do not warrant that the information is suitable for use in any particular email client. We do not warrant that the information is suitable for use in any particular mobile device. We do not warrant that the information is suitable for use in any particular operating system. We do not warrant that the information is suitable for use in any particular browser. We do not warrant that the information is suitable for use in any particular search engine. We do not warrant that the information is suitable for use in any particular social media platform. We do not warrant that the information is suitable for use in any particular email client. We do not warrant that the information is suitable for use in any particular mobile device.

Need more information? **Get in touch**

General Enquiries

+44(0) 1525 217 556

Email us here

Head Office

40 Eden Way
Chartwell Business Park
Leighton Buzzard
Bedfordshire
LU7 4FY

T: +44 (0)1525 217 556

Conversion Centre

Suite 2 Meadowhall Riverside
Meadowhall Road
Sheffield
South Yorkshire
S9 1BW

T: +44 (0)1143 030 320

Useful Links

[Privacy Policy](#)

[Sitemap](#)

