

Alloy 25 / L605 Cobalt Alloy

Typical Applications

Aircraft Engines

Gas Turbines

Ball Bearings

Industrial Furnace Lines



Cobalt Alloy 25/L605 has a carefully balanced composition of cobalt, chromium, tungsten, and other trace elements. The main strengths of this alloy are its ability to resist corrosion and wear, as well as its capacity to endure high temperatures. Cobalt Alloy L605 maintains its structural integrity well, even when subjected to caustic environments, abrasive forces or scorching heat.

The main strength of Cobalt Alloy L605 is its hardness, which is achieved through a heat treatment process. This hardness is no mere boast - it translates into exceptional wear resistance that allows the alloy to shrug off the harshest conditions. Whether it's being subjected to relentless friction or operating in abrasive environments, L605 exhibits a tenacity that few materials can match. In industries where downtime is unacceptable and failure is not an option, L605 stands as a tireless workhorse, ready to take on the most punishing challenges.

But the capabilities of Cobalt Alloy L605 don't end there. Its remarkable strength at extreme heat levels means it is a good choice for high heat applications, e.g. Industrial Furnace Lines. From the blistering environments of aerospace applications to the furnace-like conditions of power generation and chemical processing plants, components crafted from this alloy stand unwavering, their structural integrity never compromised.

Related Products

Alloy 188

Alloy 25 L605

Technical specification

Related Specifications

AMS 5759

AMS 5537

Specific Gravity

9.14 g/cm³

Chemical Composition (WT %)

	Min	Max
C	0.05	0.15
Mn	1	2
Si	-	0.04
P	-	0.04
S	-	0.03
Cr	19	21
Ni	9	11
W	14	16
Fe	-	3
Co	Bal	-

Typical Mechanical Properties

Type	Bar (Normalised and tempered, 0.5" and above)	
0.2% Proof Stress	MPA	1276
Tensile Strength	MPA	1517
Elongation	%	10
Reduction of area	%	35



The following text is a placeholder for content that is not visible in the provided image. It appears to be a technical or scientific description related to the 'Hardness' section.

*Need more information? **Get in touch***

General Enquiries

+44(0) 1525 217 556

Email us here

Head Office

40 Eden Way
 Chartwell Business Park
 Leighton Buzzard
 Bedfordshire
 LU7 4FY

T: +44 (0)1525 217 556

Conversion Centre

Suite 2 Meadowhall Riverside
 Meadowhall Road
 Sheffield
 South Yorkshire
 S9 1BW

T: +44 (0)1143 030 320

Useful Links

Privacy Policy

Sitemap

