

## AMS 4911 - TITANIUM 6AL4V SHEETS

6AL4V Sheet and Plate (AMS 4911) is a high-performance titanium alloy product form that adheres to the rigorous standards set forth in the Aerospace Material Specification (AMS) 4911.

Manufactured in sheet and plate forms, 6AL4V (AMS 4911) retains the exceptional attributes that have made this alloy a preferred choice across multiple industries. The combination of impressive strength relative to its weight, corrosion resistance, and biocompatibility positions 6AL4V as a material well-suited for structural and component applications across multiple industries.

The sheet and plate products are particularly advantageous in scenarios where dimensional accuracy, flatness, and uniform thickness are essential, this allows precise manufacturing techniques, such as machining, forming, and fabrication, allowing for the creation of intricate, complex components that adhere to stringent tolerance requirements.

In the aerospace sector, 6AL4V (AMS 4911) sheets and plates find applications in the construction of aircraft structures, engine components, and other critical parts subject to extreme loads and harsh environments.

Beyond aerospace, the biocompatibility of 6AL4V (AMS 4911) sheets and plates makes them suitable for the manufacturing of medical implants, surgical instruments, and other healthcare-related products.

Specific Gravity									
4.484 g/cm <sup>3</sup>									
Typical Applications					Related Specifications				
Medical Implants Turbine Blades Fasteners Motor Racing applications Aircraft Structural Components					AMS 2631C AMS 4911 AMS STD 2154 Mil T 9046 ASTM B265 TA10 TA56 TA59 UNS R56400 MSRR 8633				
Chemical Composition (Wt %)									
	C	Al	N	O	Ti	V	Fe	H	Y
<b>Min</b>	–	5.5	–	–	–	3.50	–	–	–

<b>Max</b>	0.08	6.75	0.05	0.2	Bal	4.50	0.25	0.01	0.005
<b>Typical Mechanical Properties</b>									
<b>0.2% Proof Stress</b>	<b>Tensile Strength</b>	<b>Elongation</b>	<b>Reduction of area</b>	<b>Hardness</b>					
MPA	MPA	%	%	HRC					
Min	Min	Min	Min						
830	900	8	20	36					

\* This data has been supplied in good faith and is indicative only. It has been provided for general information purposes only and is not to be relied upon in place of the full specification. Mechanical properties can vary considerably with different supply conditions such as heat treatment or temper and product dimensions.

No liability will be accepted by Dynamic Metals Ltd in respect of any action taken by any third party in reliance of any of the data provided.

The information provided in this datasheet has been taken from multiple recognised sources. No guarantee is given that the information is from the latest issue of these sources and no guarantee is given that the information in the datasheet is accurate or up to date.

Material supplied by Dynamic Metals Ltd may vary significantly from this data but will conform to the relevant and applicable standards. All transactions are subject to Dynamic Metals Ltd latest Terms and Conditions of Sale.

As the products detailed may be used for a wide variety of purposes and as Dynamic Metals Ltd has no control over their use, Dynamic Metals Ltd specifically excludes all conditions or warranties expressed or implied by statute or otherwise as to dimensions, properties and/or fitness for any particular purpose, whether expressed or implied.

Advice given by Dynamic Metals Ltd to any third party is given for that party's assistance only and without liability on the part of Dynamic Metals Ltd.

All transactions are subject to Dynamic Metals Ltd latest Terms and Conditions of Sale. The extent of the Company's liabilities to any customer is clearly set out in those Conditions; a copy of which is available by request or by downloading from our website.

## General Enquiries

T: +44 (0) 1525 217 556 [\(tel:+4401525217556\)](tel:+4401525217556)

E: [sales@dynamicmetalsltd.com](mailto:sales@dynamicmetalsltd.com) [\(mailto:sales@dynamicmetalsltd.com\)](mailto:sales@dynamicmetalsltd.com)



## UK Address:

### Head Office

40 Eden Way  
 Chartwell Business Park  
 Leighton Buzzard  
 Bedfordshire  
 LU7 4FY

T: +44 (0)1525 217 556 [\(tel:+441525217556\)](tel:+441525217556)

### Conversion Centre

Suite 2 Meadowhall Riverside  
Meadowhall Road  
Sheffield  
South Yorkshire  
S9 1BW

T: +44 (0)1143 030 320 [\\_\(tel:+4401143030320\)](tel:+4401143030320)

*Registered Office (only)*

The Granary  
Crowhill Farm Ravensden Road  
Wilden  
Bedfordshire  
MK44 2QS

T: +44 (0)1525 217 556 [\\_\(tel:+441525217556\)](tel:+441525217556)



[\(/media/zn2dbklo/cyber-essentials-certified-plus.png\)](/media/zn2dbklo/cyber-essentials-certified-plus.png)



[\(/media/dyelbliq/cyber-essentials-certified.png\)](#)