

AMS 4902, Titanium Grade 2 Sheets and Plates

Typical Applications

Airframe skins

Chemical Process vessels

Exhausts components

Medical and dental implants

Sputtering Targets



Titanium Grade 2 is a commercially pure form of titanium. It is widely used because it combines excellent formability and moderate strength with superior corrosion resistance.

This combination of properties makes Grade 2 titanium (ASTM B265, AMS 4902, UNS R50400) ideal for a large variety of chemical and marine as well as aerospace and medical applications.

Related Products

6246

6Al4V Bar

6Al4V Sheet

Grade 1 Sheet Plate

Grade 2 Bar

Grade 2 Sheet Plate

Grade 2 Tube Welded

Grade 3 Sheet Plate

Grade 4 Bar

Grade 4 Sheet Plate

Grade 9 Tube

Technical specification

Related Specifications

ASTM B265

ASME SB-265

TA2

AMS 4902

UNS R50400

W.Nr 3.7034

AMS T 9046

Specific Gravity

4.51 g/cm³

Chemical Composition (WT %)

General Enquiries

+44(0) 1525 217 556

[Email us here](#)

Head Office

40 Eden Way
Chartwell Business Park
Leighton Buzzard
Bedfordshire
LU7 4FY

T: +44 (0)1525 217 556

Conversion Centre

Suite 2 Meadowhall Riverside
Meadowhall Road
Sheffield
South Yorkshire
S9 1BW

T: +44 (0)1143 030 320

Useful Links

[Privacy Policy](#)

[Sitemap](#)

