

Titanium Grade 2 Tube - ASTM B338

Typical Applications

Exhaust Systems

Heat Exchangers

Heating Coils

Conduits



Titanium Grade 2 is a commercially pure form of titanium.

It is widely used because it combines excellent formability and moderate strength with superior corrosion resistance. This combination of properties makes Grade 2 ideal for a wide range of applications in chemical, marine and aerospace applications.

Related Products

6246

6Al4V Bar

6Al4V Sheet

Grade 1 Sheet Plate

Grade 2 Bar

Grade 2 Sheet Plate

Grade 2 Tube Welded

Grade 3 Sheet Plate

Grade 4 Bar

Grade 4 Sheet Plate

Grade 9 Tube

Technical specification *Related Specifications*

ASTM B338

Specific Gravity

4.51 g/cm³

Chemical Composition (WT %)

	Min	Max
C	-	0.08
N	-	0.03
O	-	0.25
Fe	-	0.30

Typical Mechanical Properties in the Annealed condition

0.2% Proof Stress	MPA	Min	275
Tensile Strength	MPA	Min	345
Elongation	%	Min	20
Reduction of Area	%		30
Hardness	HRB		80

This data is based on typical properties and is intended only for information purposes. It should not be used as a basis for design or specification. The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification. The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification.

The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification. The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification.

The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification. The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification.

The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification. The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification.

The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification. The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification.

The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification. The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification.

The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification. The values are based on the typical properties of the material and are not intended to be used as a basis for design or specification.

Need more information? Get in touch

General Enquiries

+44(0) 1525 217 556

Email us here

Head Office

40 Eden Way
Chartwell Business Park
Leighton Buzzard
Bedfordshire
LU7 4FY

T: +44 (0)1525 217 556

Conversion Centre

Suite 2 Meadowhall Riverside
Meadowhall Road
Sheffield
South Yorkshire
S9 1BW

T: +44 (0)1143 030 320

Useful Links

[Privacy Policy](#)

[Sitemap](#)

