

# AMS 4901 - TITANIUM GRADE 4 SHEET PLATE

## Titanium Grade 4 Sheet Plate

Titanium Grade 4 is a commercially pure form of titanium and has the highest strength of all the commercially pure titaniums. It has a higher strength to weight ratio than 301 stainless with excellent corrosion / erosion resistance in a wide variety of environments. Grade 4 (AMS 4901, ASTM B265, UNS R50700) can be found in aerospace, medical and industrial applications where high strength is needed.

Specific Gravity							
4.51 g/cm <sup>3</sup>							
Typical Applications				Related Specifications			
Cryogenic vessels Medical and Dental devices Food processing Hydrometallurgy Tubing Aerospace components				<b>AMS 4901</b> <b>UNS R50700</b> <b>Mil T 9046</b> <b>ASTM B265</b>			
Chemical Composition (Wt %)							
	C	N	O	Ti	Fe	H	Other
Min	–	–	–	–	–	–	–
Max	0.08	0.05	0.40	Bal	0.50	0.015	0.4
Typical Mechanical Properties in the Annealed Condition							
0.2% Proof Stress	Tensile Strength	Elongation	Reduction of area	Hardness			
MPA	MPA	%	%	HRB			
483	552	15	25	100			
* Every effort has been made to ensure that our technical specifications are accurate. However, technical specifications included within Dynamic Metals Ltd should be used as a guideline only and are subject to change							

without notice.

---

## General Enquiries

T: +44 (0) 1525 217 556 [\\_\(tel:+4401525217556\)](tel:+4401525217556)

E: [sales@dynamicmetalsltd.com](mailto:sales@dynamicmetalsltd.com) [\\_\(mailto:sales@dynamicmetalsltd.com\)](mailto:sales@dynamicmetalsltd.com)



## UK Address:

### *Head Office*

40 Eden Way  
Chartwell Business Park  
Leighton Buzzard  
Bedfordshire  
LU7 4FY

T: +44 (0)1525 217 556 [\\_\(tel:+441525217556\)](tel:+441525217556)

### *Conversion Centre*

Suite 2 Meadowhall Riverside  
Meadowhall Road  
Sheffield  
South Yorkshire  
S9 1BW

T: +44 (0)1143 030 320 [\\_\(tel:+4401143030320\)](tel:+4401143030320)

### *Registered Office (only)*

The Granary  
Crowhill Farm Ravensden Road  
Wilden  
Bedfordshire  
MK44 2QS

T: +44 (0)1525 217 556 [\\_\(tel:+441525217556\)](tel:+441525217556)



[\(/media/zn2dbklo/cyber-essentials-certified-plus.png\)](#)



[\(/media/dyelbliq/cyber-essentials-certified.png\)](#)