

BS S80 (EN57) NEREZOVÁ OCEL - AMS 5628

Dynamic Metals je dodavatelem BS S80 (431 S29) nerezové oceli . Dodáváme vysoce jakostní hutní materiál bez minimálního množství omezení pro skladové položky tyčí, plechů a desek.

Specific Gravity														
Typical Applications						Related Specifications								
						BS S80 (431 S29T)								
						AMS 5628								
						MSRR 6573								
						UNS S43100								
						MIL/AMS-S-18732								
						AMS QQ-S-763								
						ASTM A276								
						ASTM A484								
						DMS-1565								
						WL 1.4044								
DIN EN 3506														
Chemical Composition (Wt %)														
Min														
Max														
Typical Mechanical Properties														

	0.2% Proof Stress	Tensile Strength	Elongation	Reduction of area	Hardness
Content					

Hardness after Heat Treatment

* Every effort has been made to ensure that our technical specifications are accurate. However, technical specifications included within Dynamic Metals Ltd should be used as a guideline only and are subject to change without notice.

General Enquiries

T: +44 (0) 1525 217 556 [\(tel:+4401525217556\)](tel:+4401525217556)

E: sales@dynamicmetalsltd.com [\(mailto:sales@dynamicmetalsltd.com\)](mailto:sales@dynamicmetalsltd.com)



UK Address:

Head Office

40 Eden Way
Chartwell Business Park
Leighton Buzzard
Bedfordshire
LU7 4FY

T: +44 (0)1525 217 556 [\(tel:+441525217556\)](tel:+441525217556)

Conversion Centre

Suite 2 Meadowhall Riverside
Meadowhall Road

Sheffield
South Yorkshire
S9 1BW

T: +44 (0)1143 030 320 [_\(tel:+4401143030320\)](tel:+4401143030320)

Registered Office (only)

The Granary
Crowhill Farm Ravensden Road
Wilden
Bedfordshire
MK44 2QS

T: +44 (0)1525 217 556 [_\(tel:+441525217556\)](tel:+441525217556)



[\(/media/zn2dbklo/cyber-essentials-certified-plus.png\)](/media/zn2dbklo/cyber-essentials-certified-plus.png)



[\(/media/dyelbliq/cyber-essentials-certified.png\)](#)