

## TITANIO GRADO 2 TUBO

Titanium Grado 2 è una tipologia di titanio commercialmente pura. È ampiamente utilizzato perché combina una plasticità eccellente e una solidità moderata con una resistenza alla corrosione superiore. Questa combinazione di proprietà rende Grade 2 ideale per un'ampia gamma di applicazioni chimiche, marine e aerospaziali.

Specific Gravity					
4.51 g/cm <sup>3</sup>					
Typical Applications				Related Specifications	
Exhaust Systems  Heat Exchangers  Heating Coils  Conduits				ASTM B338	
Chemical Composition (Wt %)					
	<b>C</b>	<b>N</b>	<b>O</b>	<b>Fe</b>	<b>H</b>
<b>Min</b>	–	–	–	–	–
<b>Max</b>	0.08	0.03	0.25	0.3	0.015
Typical Mechanical Properties in the Annealed Condition					
0.2% Proof Stress		Tensile Strength	Elongation	Reduction of area	
MPA		MPA	%	%	
Min		Min			
275		340	20	–	
* Every effort has been made to ensure that our technical specifications are accurate. However, technical specifications included within Dynamic Metals Ltd should be used as a guideline only and are subject to change without notice.					

---

## General Enquiries

T: +44 (0) 1525 217 556 [\\_\(tel:+4401525217556\)](tel:+4401525217556)

E: [sales@dynamicmetalsltd.com](mailto:sales@dynamicmetalsltd.com) [\\_\(mailto:sales@dynamicmetalsltd.com\)](mailto:sales@dynamicmetalsltd.com)



## UK Address:

### *Head Office*

40 Eden Way  
Chartwell Business Park  
Leighton Buzzard  
Bedfordshire  
LU7 4FY

T: +44 (0)1525 217 556 [\\_\(tel:+441525217556\)](tel:+441525217556)

### *Conversion Centre*

Suite 2 Meadowhall Riverside  
Meadowhall Road  
Sheffield  
South Yorkshire  
S9 1BW

T: +44 (0)1143 030 320 [\\_\(tel:+4401143030320\)](tel:+4401143030320)

### *Registered Office (only)*

The Granary  
Crowhill Farm Ravensden Road  
Wilden  
Bedfordshire  
MK44 2QS

T: +44 (0)1525 217 556 [\\_\(tel:+441525217556\)](tel:+441525217556)



[\(/media/zn2dbklo/cyber-essentials-certified-plus.png\)](#)



[\(/media/dyelbliq/cyber-essentials-certified.png\)](#)